




CITY OF BINGEN

Small City, Big Life



Local
Postal Customer

DIY Fireworks at the Port

8pm to 11pm at Bingen Point July 4, 2023

Absolutely NO fireworks are allowed within Bingen City Limits. Law enforcement personnel will be enforcing the city ordinance banning fireworks.

The City of Bingen partners with the Port of Klickitat, City of White Salmon, Klickitat County Sheriff's Office, Fire District 3, and several other volunteers to host DIY fireworks. Please see the insert for additional details.

Este informe contiene información muy importante sobre su agua beber.

Este boletín está disponible en español en el Ayuntamiento y en línea en <http://www.bingewashington.org>

Bingen Elected Officials and Staff

Mayor Catherine Kiewit
City Council Members: Ryan O'Connor, Phil Jones, Brittany Spratt, Isolde Schroder, Joseph O'Sullivan

Krista Loney, City Administrator
Lauren Leon, Deputy Clerk
David Spratt, Public Works Superintendent
Jay Hicks, Public Works Maintenance
Mike Solomon, Public Works/Animal Control
Maddie Deo, Public Works, Seasonal
Frank Sinclair, Treatment Plant Manager
James Buckland, Treatment Plant Operator

(509) 493-2122
administrator@bingenwashington.org
www.bingenwashington.org

Water Conservation

The City of Bingen adopted an ordinance providing guidelines for water shortages. We do not anticipate a drought this summer. However, we want to provide information to our residents in case a water shortage is declared for other reasons. We encourage all residents and businesses to think of ways they can conserve water this summer. Early water conservation may help prevent the declaration of water restrictions.

Stage I - Anticipated Water Shortage *Internal Preparations*

- Public education efforts will be conducted regarding the benefits and necessity of water conservation.

Stage II - Serious Water Shortage *Limited Outdoor Restrictions*

- Irrigation of lawns and gardens will be restricted to the hours of 6:00 a.m. to 9:00 a.m. and 6:00 p.m. to 9:00 p.m. on all days. Irrigation of lawns and gardens using timer systems will be restricted to the hours of 4:00 a.m. to 9:00 a.m. and 6:00 p.m. to 9:00 p.m.

Stage III - Critical Water Shortage *Outdoor Restrictions*

- Irrigation of lawns and gardens will be restricted to the hours of 6:00 a.m. to 9:00 a.m. Irrigation that is on a timer system will be restricted to the hours of 4:00 a.m. to 9:00 a.m. Properties with "even number" addresses will be permitted to irrigate only on "even number days." Properties with "odd number" addresses will be permitted to irrigate only on "odd number days."
- Vehicle washing is prohibited, except for commercial/industrial vehicles where washing takes place on commercial/industrial property and is necessary for vehicle maintenance. Licensed and permitted car washes are allowed to operate.
- Driveway, sidewalk, etc. flushing is prohibited.
- Orchard irrigation is prohibited.
- Filling wading pools, swimming pools, and hot tubs is prohibited.

Stage IV - Extreme Water Shortage *Outdoor Usage Prohibited*

- All lawn, garden and orchard irrigation is prohibited.
- Vehicle washing is prohibited, except for commercial/industrial vehicles where washing takes place on commercial/industrial property and is necessary for vehicle maintenance. Licensed and permitted car washes are allowed to operate.
- Driveway, sidewalk, etc. flushing is prohibited.
- Orchard irrigation is prohibited.
- Filling wading pools, swimming pools, and hot tubs is prohibited.
- Water consumption is permitted for essential indoor purposes only.

Stage V - Maximum Emergency *No Water Use*

- All indoor and outdoor water usage shall be prohibited until the emergency is lifted.

Water Use Efficiency Report

Bingen adopted two water use efficiency goals in 2015 which we are still working toward.

The city provides information to customers through this newsletter and through its utility bills about water conservation and its importance. **A copy of the city's 2022 Water Use Efficiency Report is available at city hall or on the City's web page.**

Goal 1: Reduce the three year average of lost and unaccounted for water (distribution system leakage) to 10 percent or less of total source production by 2032. The reported distribution system leakage for 2022 was 27.8% which is a decrease from years past.

Goal 2: Reduce water consumption by 10 percent over the 20-year planning period. The city continues to identify potential sources for leakage. Water consumption decreased by 15.8% between 2021 and 2022.

****DATA PRESENTED IN THIS REPORT IS FOR CALENDAR YEAR 2022****

City of Bingen 2022 Drinking Water Consumer Confidence Report

The Environmental Protection Agency and the Washington State Department of Health require community water systems to report to their customers about the quality of water they drink. Details are provided about where your water comes from, what it contains, and how it compares to the Environmental Protection Agency (EPA) and state standards. We are committed to providing you with information.

For more information about your water, contact Public Works Superintendent David Spratt at 509-493-1348. Additional information can be obtained by attending City Council meetings. The City Council meets the 1st and 3rd Tuesdays of each month at 7:00 p.m. via teleconference and in person. Please visit <https://www.bingenwashington.org/node/581/minutes-agendas> for more information.

Last year, your tap water met all U.S. Environmental Protection Agency (EPA) and state drinking water health standards. The City of Bingen vigilantly safeguards its water supplies and once again we are proud to report that our system has not violated a maximum contaminant level or any other water quality standard. The decision makers for your water system (the city council) reside within the city limits and use water from your water system.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. People should seek advice about drinking water from their health care providers. Environmental Protection Agency and Center for Disease Control guidelines on appropriate means to lessen the risk of infection by *Cryptosporidium* and other microbial contaminants are available from the Safe Drinking Water Hotline (1-800-426-4791).

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the EPA's Safe Drinking Water Hotline (1-800-426-4791).

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity.

In order to ensure that tap water is safe to drink, EPA regulates the amount of certain contaminants in water provided by public water systems. We treat our water according to EPA's regulations. Food and Drug Administration regulations establish limits for contaminants in bottled water which must provide the same protection for public health.

Where does your water come from?

The City of Bingen's water comes from three municipal wells sunk approximately 300 to 460 feet into an underground source of water. After the water comes out of the wells, it is aerated and disinfected to protect you against microbial contaminants. In addition, the City of Bingen purchases water from the City of White Salmon. Copies of White Salmon's Annual Drinking Water Quality Report are available at Bingen City Hall and White Salmon City Hall.

Contaminants that may be present in source water before we treat it include:

- Microbial contaminants**, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.
- Inorganic contaminants**, such as salts and metals, which can be naturally occurring or result from storm water runoff, industrial or domestic wastewater discharges, oil and gas production, mining or farming.
- Pesticides and herbicides**, which may come from a variety of sources such as agriculture and residential uses.
- Radioactive contaminants**, which are naturally occurring.
- Organic chemical contaminants**, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations, urban storm water runoff, and septic systems.

DIY Fireworks at the Port

8pm to 11pm at Bingen Point July 4, 2023

New this year! Bingen Fire Department is selling hotdogs, chips, and beverages to raise funds for the department.

DIY Fireworks at the Port is sponsored by the Port of Klickitat, the Cities of Bingen and White Salmon, the Klickitat County Sheriff's Office, Fire District 3, and several other volunteers.

For more information on this event, legal and illegal fireworks in Washington, and state law regarding the use of fireworks, visit www.portofklickitat.com.



Reminder: YEAR-ROUND burn ban enforced in the City of Bingen

Exceptions are made for charcoal and gas barbecues. Agricultural burns must have a permit from the Washington State Department of Ecology



Free Swim Program



The City of Bingen works in partnership with the Hood River Aquatic Center to provide free swim passes to Bingen residents.

Please contact Bingen City Hall at (509) 493-2122 to be approved for the free swim program. Proof of residency required.

Once approved, please follow rules and instructions from the Hood River Aquatic Center. Pool schedule and more information is available online at:

<https://hoodriverparksandrec.org/pool-schedule-summer-1>

p



2022 Water Quality Data Table

The water quality information presented in the tables is from the most recent round of testing done in accordance with the regulations. All data shown were collected during the last calendar year unless otherwise noted in the tables. The presence of contaminants does not necessarily indicate that the water poses a health risk. The Environmental Protection Agency (EPA) or the State requires us to monitor for certain contaminants less than once per year because the concentration of these contaminants do not change frequently. Some of our data, though representative, are more than one year old.

Important Drinking Water Definitions:

MCLG: Maximum Contaminant Level Goal: The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

MCL: Maximum Contaminant Level: The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

AL: Action Level: The concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

TT: Treatment Technique: A required process intended to reduce the level of a contaminant in drinking water.

ppm: Parts per million, or milligrams per liter

ppb: Parts per billion, or micrograms per liter

Variance and Exemptions: State or EPA permission not to meet an MCL, an action level, or a treatment technique under certain conditions.

SRL: State Reporting Level: the minimum reporting level established by the Washington State Department of Health.

Inorganic Contaminants	MCLG	MCL	Your Water	SRL	Sample Year	Violation	Typical Source
Nitrate [measured as Nitrogen] (ppm)	10	10	<0.05	0.5	2022	No	Runoff from fertilizer use; Leaching from septic tanks; sewage; Erosion of natural deposits
Nitrite [measured as Nitrogen] (ppm)	1	1	<0.05	0.1	2022	No	Runoff from fertilizer use; Leaching from septic tanks, sewage; Erosion of natural deposits
Arsenic (ppb)	0	10	.1	1.4	2021	No	Erosion of natural deposits, Runoff from orchards; Runoff from glass and electronics production waste
Antimony (ppb)	6	6	0.12	3	2021	No	Discharge from petroleum refineries; Fire retardants; Ceramics; Electronics; Solder
Barium (ppm)	2	2	.0019	0.1	2021	No	Discharge of drilling wastes; Discharge from metal refineries; Erosion of natural deposits
Beryllium (ppb)	4	4	0.1	0.3	2021	No	Discharge of drilling wastes; Discharge from metal refineries; Erosion of natural deposits
Cadmium (ppb)	5	5	0.1	1	2021	No	Corrosion of galvanized pipes; Erosion of natural deposits; Discharge from metal refineries; Runoff from waste batteries and paints
Chromium (ppb)	100	100	.1	7	2021	No	Discharge from steel and pulp mills; Erosion of natural deposits
Cyanide [as free Cn] (ppb)	200	200	0	10	2021	No	Discharge from plastic, fertilizer, and steel steel/metal factories
Mercury (ppb)	2	2	<0.2	0.2	2021	No	Erosion and natural deposits; Discharge from refineries and factories; Runoff from landfills and cropland
Selenium (ppb)	50	50	<0.5	2	2021	No	Discharge from petroleum and metal refineries and mines; Erosion of natural deposits
Thallium (ppb)	0.5	2	0.25	1	2021	No	Discharge from electronics, glass; Leaching from ore-processing sites; Drug factories
Fluoride (ppm)*	4	4	0.45	0.5	2021	No	Erosion of natural deposits; water additive to promote strong teeth; Discharge from fertilizer and aluminum factories

*Neither the City of Bingen nor the City of White Salmon adds fluoride to its water.

Inorganic Contaminants	MCLG	AL	Your Water (sample range)	SRL	# of Samples >AL	Sample Year	Exceeds AL	Typical Source
Copper (ppm)	1.3	1.3	0.00215 - 0.0552	0.02	0	2020	No	Corrosion of household plumbing systems, Erosion of natural deposits
Lead (ppm)	0	0.015	<0.0001 - 0.000520	0.00 1	0	2020	No	Corrosion of household plumbing systems, Erosion of natural deposits

Disinfectant Contaminants	MCLG	MCL	Your Water	SRL	Sample Year	Violation	Typical Source
Haloacetic Acids (HAA5) (ppb)	NA	60	Not Detected	15	2022	No	By-product of drinking water chlorination
Total Trihalomethanes (TTHM) (ppb)	NA	80	1.12	0.5	2022	No	By-product of drinking water chlorination

Radioactive Contaminants	MCLG	MCL	Your Water	Sample Year	Violation	Typical Source
Combined Radium (pCi/L)	0	5	Not Detected	2021	No	Erosion of natural deposits

Volatile Organic Contaminants	MCLG	MCL	Your Water	SRL	Sample Year	Violation	Typical Source
Naphthalene (ppb)	NA	NA	10.23	0.5	2022	No	By-product of industrial activities

The following contaminants were tested for but not detected:

Vinyl Chloride, Dichloroethylene, Trichloroethane, Carbon Tetrachloride, Benzene, Dichloroethane, Trichloroethylene, Dichlorobenzene, Dichloromethane, Dichloropropane, Toluene, Trichloroethylene, Chlorobenzene, Ethylbenzene, Styrene, Trichlorobenzene, Total Xylenes, Chloroform, Bromodichloromethane, Chlorodibromomethane, Bromoform, Total Trihalomethanes, Chloromethane, Bromomethane, Tetrachloroethane, Bromobenzene, Trichloropropane, Chlorotoluene, Fluorotrichloromethane, Bromochloromethane, Trimethylbenzene, Butylbenzene, and Dichlorodifluoromethane

Additional Information for Arsenic and Lead

Your drinking water currently meets EPA’s revised drinking water standards for arsenic. However, it does contain low levels of arsenic. There is a small chance that some people who drink water containing low levels of arsenic for many years could develop circulatory disease, cancer, or other health problems. Most types of cancer and circulatory diseases are due to factors other than exposure to arsenic. EPA’s standard balances the current understanding of arsenic’s health effects against the costs of removing arsenic from drinking water.

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. The City of Bingen is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at <http://www.epa.gov/safewater/lead>.

Microbial Contaminants

Your drinking water is tested regularly for the presence of coliform bacteria including fecal coliform and E.coli. All tests were negative.

Hydrogen Sulfide in Water

The City of Bingen’s water contains hydrogen sulfide which can have a sulfur smell. Hydrogen sulfide is formed by sulfur bacteria that may occur naturally in water. These sulfur bacteria do not cause disease, but their presence can cause a noticeable taste or odor. Filling a pitcher of water and letting it set for a period of time helps dissipate the taste and/or odor. The water produced by the three Bingen wells is safe to drink.

Hydraulic Connection

One of the city’s source wells is in hydraulic connection with surface water, the source is not considered to be directly influenced by surface water.

City of White Salmon Results

The City of White Salmon monitors its treated water using laboratories certified by the Washington Department of Health. Copies of the full City of White Salmon Water Quality Report for the Year 2022 are available at Bingen City Hall and on the City of Bingen’s web site <http://www.bingenwashington.org>



DIY Fireworks at the Port


The Port of Klickitat invites its local Washington communities to safely discharge fireworks from **8pm to 11pm** at Bingen Point **July 4, 2023**. The City of Bingen Municipal Code 8.16.020 prohibits fireworks within City limits. It is possible to legally purchase certain fireworks on federal or tribal lands which are in violation of Washington law (RCW 70.77) and will be confiscated at the event.

For the enjoyment and safety of all:

- Minors must be accompanied by an adult
- Use of fireworks is strictly limited to the hours of 8pm to 11pm on July 4 in the designated area (see map)
- NO Pets, Alcohol, Drugs, or Weapons. Illegal Fireworks are prohibited and will be confiscated.

New this year, the City of Bingen Fire Department will be selling hotdogs! Hotdogs will be available to enjoy starting at 7:00pm. The Port could not host this event without the assistance and cooperation of the cities of Bingen and White Salmon, the Klickitat County Sheriff's Office, Fire District 13, and many other volunteers. Thank you for your part in making this event a success.

For links to more information on the event, legal and illegal fireworks in Washington, and state law regarding the use of fireworks, visit the Port's web site at www.portofklickitat.com.



For more information, please contact:

Margie Ziegler, Executive Director ■ 509-493-1655 ■ mziegler@portofklickitat.com



Upcoming Bingen Happenings

- Due to the 4th of July Holiday, the regularly scheduled council meeting has been moved to Wednesday, July 5 at 7 p.m. online and in council chambers.
- Coming soon--Bingen's shared-use electric vehicle! The City will be holding a soft launch for the carshare program in the next few weeks. You may have noticed the EV charging station that was installed in the parking lot cross from the skatepark. This project was 100% funded by a Zero-Emissions Access Program grant from the Washington State Department of Transportation.
- Interested in serving on the Bingen City Council? After 8 years of service, Councilor Izzy Schroder will complete her term on December 31, 2023 and Council position number 2 will be available! To qualify, you must have lived in Bingen for at least one year and be a registered voter in the city. There is a special three-day Candidate Filing Period being held on August 2-4, 2023. Please visit the Klickitat County Elections webpage for more information: <https://www.klickitatcounty.org/1136/ElectionsVoter-Registration>
- Save the Date for Huckleberry Festival! Friday, September 8 through Sunday, September 10 in beautiful Daubenspeck Park. The Huckleberry Festival Parade is scheduled for Saturday, September 9 at 10 a.m.
- Coming in 2024—Bingen's Centennial! Centennial Committee Meetings are already happening both in person and online. You are welcome to attend via Zoom or in person at City Hall, 112 N Ash. Please share your thoughts and ideas to celebrate 100 years of our small city!
- The City of Bingen will be holding public hearings across the next several months regarding zoning, parking, accessory dwelling units (ADUs), and vacation rentals. Citizen participation in this process is welcomed.
- For the most current information about happenings in Bingen, sign up for alerts at <https://www.bingenwashington.org/subscribe>.